



Gel II – No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 1: IDENTIFICATION

Trade Name: Gel II – No Cleanse Top Coat

Chemical Name: Polymer Blend

Use of Substance/Mixture: Nail Beauty/Personal Care

Manufacturer:

Millenia Productions, LLC.
3819 N Toben Rd, Wichita, KS 67226
(316) 425-2500

Emergency Phone Number:

ChemTel Chemical Expert Assistance Hotline

Domestic: 1-800-255-3924

International: 01-813-248-0585

ChemTel:365/24/7

Contract Number: MIS0007427

SECTION 2: HAZARD(S) IDENTIFICATION

GHS-US Classification

Non-Flammable liquid. This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of NOHSC and ADG Code (Australia).

Hazard Pictograms

Signal Word

Danger

Hazard Statements

H225 - Flammable liquid and vapor.

H319 - Causes moderate eye irritation.

Precautionary Statements

P210 - Keep away from heat, open flames, sparks. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures.



Gel II – No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

Precautionary Statements Continued

Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression. Do not induce vomiting. Drink plenty of milk or water immediately. Never give water or milk to an unconscious person. If persist, contact the nearest Poison Control Center or Local Emergency number.
Eyes/Skin:	The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns, and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation, and watering. May be irritating to skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
Inhalation:	Vapors of this product may be moderately irritating to the nose, throat, and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). Odor may give some warning of exposure, but odor fatigue may occur.
Symptoms of overexposure:	Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
Acute Health Effects:	Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches, and nausea.
Chronic Health Effects:	The material may accentuate any pre-existing dermatitis condition. None known
Target Organs	Eyes, skin & respiratory system
Other Hazards	No additional information available
Unknown Acute Toxicity	No data available



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 3: COMPOSITION/INGREDIENT INFORMATION

Name	Product Identifier	%
Propoxylated Neopentyl Glycol	84170-74-1	40-55
Polyacrylate-15	67892-91-5	10-15
Glycerin	56-81-5	10-15
Phenylbi(2,4,6 Trimethylbenzoyl) Phosphine Oxide	162881-26-7	10-15
Trimethylbenzoyl Diphenylphosphine Oxide	4559-70-0	3-5



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 4: FIRST-AID MEASURES

First-Aid Measures

First-Aid Measures After Inhalation: Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, respiratory system).

First-Aid Measures After Skin Contact: If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove all contaminated clothing, including footwear and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.

First-Aid Measures After Eye Contact: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. Seek immediate medical attention. If problems persist, seek immediate medical attention.

First Aid Measures After Ingestion: Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical attention.

Seek medical assistance for further treatment, observation, and support if necessary.

SECTION 5: FIRE-FIGHTING MEASURES

Special Hazards Arising From the Substance or Mixture

Fire Hazard: This product is a non-flammable liquid.

Advice for Firefighters

Firefighting Instructions: Not a fire hazard.



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For Non-Emergency Personnel

For large spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, State, and Federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For Emergency Responders

For spills ³1gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth).

Environmental Precautions

Use ONLY non-sparking tools for recovery and cleanup.

Methods and Material for Containment and Cleaning Up

Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal.

Reference to Other Sections

Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

SECTION 7: HANDLING AND STORAGE

Work & Hygiene Practices:

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink, or smoke while handling this product.

Storage Conditions: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.

Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level.

Keep away from children at all times!

Incompatible Materials: Keep away from open flame.

Storage Area: Keep in cool dry area.

Special Rules on Packaging: Any special rules for packaging.

Specific End Use(s)

Hands and Feet



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls

Appropriate Engineering Controls	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).
Hand Protection	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ³ 1 gallon), wear rubber or impervious plastic gloves.
Eye Protection	Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.
Skin and Body Protection	No apron required when handling large quantities. When handling large quantities (e.g., ³ 1gallon), eyewash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.
Respiratory Protection	No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.
Thermal Hazard Protection	Flammable
Other Information	



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance	LIQUID
Color	Clear Slight off Yellow
Odor	PUNGENT ODOR
Odor Threshold	NE
pH	NA
Relative Evaporation Rate (butyl acetate=1)	ND
Melting Point	ND
Freezing Point	ND
Boiling Point	ND
Flash Point	ND
Auto-Ignition Temperature	ND
Decomposition Temperature	ND
Flammability (Solid, Gas)	ND
Vapor Pressure	ND
Relative Vapor Density at 20°C	ND
Density	0.998-1.001
Solubility	Insoluble in Water
Log Pow	ND
Log Kow	ND
Viscosity, Dynamic	<100 cps
Explosive Properties	ND
Oxidizing Properties	ND
Explosive Limits	ND

Other Information

No additional information available.



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Relatively stable under ambient conditions when stored properly.

Conditions to Avoid: Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, sparks, flame.

Hazardous Decomposition Products: If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon & nitrogen).



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness and dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Butyl acetate 123-86-4	= 10768 mg/kg (Rat)	> 17600 mg/kg (Rabbit)	= 390 ppm (Rat) 4 h
Ethyl acetate 141-78-6	= 5620 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat) 8 h
Silica 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h
Triphenyl phosphate 115-86-6	= 3500 mg/kg (Rat)	> 7900 mg/kg (Rabbit)	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-

Information Toxicological Effects

Symptoms May cause redness and tearing of the eyes. Itching. Rashes. Hives. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause sensitization of susceptible persons. May cause sensitization by skincontact.
Mutagenic Effects	No information available.
Carcinogenicity	The product in its final delivery form contains no known ingredient considered acarcinogen.
Reproductive toxicity	No information available.
STOT: single exposure	No information available. STOT:
repeated exposure	No information available. Chronic
Toxicity	May cause adverse liver effects.
Target Organ Effects	Central Nervous System (CNS). Eyes. Respiratory system. Skin. Lungs. Gastrointestinal tract (GI). Blood. Kidney. Liver. Spleen. Systemic Toxicity.
Aspiration Hazard	No information available



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

Numerical Measures of Toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATE mix (oral)	8,657.00 mg/kg
ATE mix (inhalation-vapor)	488.00 ATE mix

This product **does not** contain any compounds listed by NTP or IARC or regulated by OSHA as a carcinogen.



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 12: ECOLOGICAL INFORMATION

Biodegradability: NA

Environmental Stability:

The components of this product will slowly degrade over time into a variety of organic compounds. Specific environmental data available for the components of this product are available but are not presented in this MSDS.

Effects on Plants & Animals:

There is no specific data available for this product.

Effects on Aquatic Life:

There is no specific data available for this product. Releases of large volumes may be harmful or fatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available but are not presented in this MSDS.



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
 DBA La Palm Spa Products®
 3819 N Toben Rd, Wichita, KS 67226
 PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
 Version 3.0

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal Methods: This material, as supplied, is a hazardous waste according to Federal regulations (40 CFR 261). Should not be released into the environment. Dispose of contents/containers in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated Packaging: Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D001

Chemical Name	RCRA	RCRA Basis for Listing	RCRA D Series Wastes	RCRA U Series Wastes
Ethyl acetate 141-78-6		Included in waste stream: F039		U112

California Hazardous Waste 331

This product contains one or more substances that are listed with the State of California as hazardous waste.

<u>Chemical Name</u>	<u>California Hazardous Waste</u>
Butyl acetate 123-86-4	Toxic
Ethyl acetate 141-78-6	Toxic Ignitable
Isopropyl alcohol 67-63-0	Toxic Ignitable

Federal, State, and local laws governing disposal of materials can differ. Ensure proper disposal compliance with proper authorities before disposal.

SECTION 14: TRANSPORT INFORMATION

<u>DOT</u>		<u>IATA</u>	
Proper Shipping Name	Consumer Commodity	UN-No.	UN1263
Hazard Class	ORM-D	Proper Shipping Name	Paint
Description	Consumer Commodity-ORM-D	Hazard Class	3
		Packing Group	II
		Description	UN1263, Paint, 3, II

<u>TDG</u>		<u>ICAO</u>	
UN-No.	UN1263	UN-No.	UN1263
Proper Shipping Name	Paint	Proper Shipping Name	Paint
Hazard Class	3	Hazard Class	3
Packing Group	II	Packing Group	II
Description	UN1263, Paint, 3, II	Description	UN1263, Paint, 3, II



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
 DBA La Palm Spa Products®
 3819 N Toben Rd, Wichita, KS 67226
 PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
 Version 3.0

IMDG/IMO

UN-No.	UN1263
Proper Shipping Name	Paint
Hazard Class	3
Packing Group	II
EmS-No.	F-E, S-E
Description	UN1263, Paint, 3, II (21°C C.C)

MEX

UN-No.	UN1263
Proper Shipping Name	Paint
Hazard Class	3
Packing Group	II
Description	UN1263, Paint, 3, II

RID

UN-No.	UN1263
Proper Shipping Name	Hazard
Class	P
Packing Group	a
Classification code	i
Description	n
	t
	3
	I
	I
	F
	1
	UN1263, Paint, 3, II

ADR

UN-No.	UN1263
Proper Shipping Name	Paint
Hazard Class	3
Packing Group	II
Classification code	F1
Tunnel restriction code	(D/E)
Description	UN1263, Paint, 3, II

ADN

UN-No.	UN1263
Proper Shipping Name	Paint
Hazard Class	3
Packing Group	II
Classification code	F1
Special Provisions	163, 640C, 650
Description Limited	UN1263, Paint, 3, IIS
Quantity Ventilation	L
	VE01



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 15: REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL All components are listed either on the DSL or NDSL.
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 Threshold Values %
Isopropyl alcohol	67-63-0	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act(40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA Reportable Quantities	CWA Toxic Pollutants	CWA Priority Pollutants	CWA Hazardous Substances
Butyl acetate 123-86-4	5000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Butyl acetate	5000 lb		RQ 5000 lb final RQ
Ethyl acetate	5000 lb		RQ 2270 kg final RQ RQ 5000 lb final RQ RQ 2270 kg final RQ

California Proposition 65

In its current delivery form, this product contains no chemicals that are required to be listed under Proposition 65.



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
 DBA La Palm Spa Products®
 3819 N Toben Rd, Wichita, KS 67226
 PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
 Version 3.0

SECTION 15: REGULATORY INFORMATION

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island
Butyl acetate 123-86-4	X	X	X	X
Ethyl acetate 141-78-6	X	X	X	X
Isopropyl alcohol 67-63-0	X	X	X	X
n-Butyl alcohol 71-36-3	X	X	X	X

International Regulations

Mexico: National Occupational Exposure Limits

Component	Carcinogen Status	Exposure Limits
Butyl acetate 123-86-4 (15 - 40)		TWA 150 ppm TWA 710 mg/m3 STEL 200 ppm STEL 950 mg/m3
Ethyl acetate 141-78-6 (10 - 30)		TWA= 400 ppm TWA= 1400 mg/m3
Isopropyl alcohol 67-63-0 (1 - 5)		TWA 400 ppm TWA 980 mg/m3 STEL 500 ppm STEL 1225 mg/m3
Triphenyl phosphate 115-86-6 (0.1 - 1)		TWA 3 mg/m3 STEL 6 mg/m3
Titanium dioxide 13463-67-7 (0.1 - 1)		TWA= 10 mg/m3 STEL= 20 mg/m3

Mexico - Occupational Exposure Limits - Carcinogens

Canada: WHMIS Hazard Class Not determined

SDS complies with OSHA’s Hazard Communication Rule 29, CFR 1910.1200.



Gel II –No Cleanse Top Coat

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 01-20-2023
Version 3.0

SECTION 16: OTHER INFORMATION

Other Information:

Keep out of reach of children. Do not take internally. Store in a cool, dry place. Keep away from heat and open flame.

Terms & Definitions:

See last page of this SDS.

Disclaimer:

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. The information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

NFPA Rating

NFPA Health Hazard: 2

NFPA Fire Hazard: 0

NFPA Reactivity Hazard: 0



HMIS II Rating

HMIS II Health Hazard: 2

HMIS II Fire Hazard: 0

HMIS II Reactivity Hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety, and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.